Avalon ARC Approved Storage Shed Specifications

Approved 6/21/2012

Dimensions and Materials

- Not to exceed 8 ft. x 8 ft. x 8 ft.
- Highest point of roof may not exceed 8 feet.
- Walls to be composed of resin (manufactured available at stores) or constructed of materials similar to homes (pressure treated wood and hardiplank)
- Roof must be covered with dimensional shingles matching that of house or resin modeled to look like dimensional shingles matching the house roof
- Colors must match the exterior of the house or the same color palette as other homes in the Avalon community

Location of Shed

- Shed must be in the least visible position from the street.
- If yard slopes downward from house, the shed should be positioned at the bottom of the yard.
- If yard slopes upward from the house, the shed should be positioned closer to the house to avoid being seen from the street.
- Sheds must not be positioned on the sides of the house. Sheds may only be placed behind the rear wall of the house.
- Yard must be fenced.

Consultation

• An ARC member must visit site and approve plans.

Examples of Approved Sheds



Examples of Approved Sheds





Examples of Approved Sheds



Approved Constructed Shed



Avalon ARC Approved Storm Shelter Specifications

Exterior Underground Shelter

- Can only be installed in the back yard with minimal visual impact from the street.
- ARC member must approve the location



Interior Underground Shelters

- Installed in the garage
- Does not need ARC approval



Safe Rooms



 May not exceed 4' x 8' x 6' (w x | x h)